

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	57	blowoff and (muffl\$3 or silenc\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/20 15:30
L2	94	blowoff and bellows	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/20 13:30
L3	3010	vent with stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/20 13:30
L4	51	3 and bellows	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/20 13:30
L5	3	4 and (muffl\$3 or silenc\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/20 13:32
L6	32605	(high with pressure) and thermal and (noise or sound or acoustic\$2 or vibration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/20 14:59
L7	4143	(high with pressure with fluid) and thermal and (noise or sound or acoustic\$2 or vibration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/20 13:33
L8	2159	(high with pressure with fluid) and thermal and (muffl\$3 or silenc\$3 or attenuat\$3 or suppress\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/20 13:34

L9	653	(high with pressure with fluid) and (thermal with (grow\$3 or expan\$5)) and (muffl\$3 or silenc\$3 or attenuat\$3 or suppress\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/20 15:00
L12	121	(high with pressure with fluid) and (thermal with (grow\$3 or expan\$5)) and (muffl\$3 or silenc\$3 or attenuat\$3 or suppress\$3) and bellows	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/20 13:38
L14	20	"137"/\$.ccls. and (high with pressure with fluid) and (thermal with (grow\$3 or expan\$5)) and (muffl\$3 or silenc\$3 or attenuat\$3 or suppress\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/20 14:58
L15	105681	(steam or (pressur\$5 with fluid)) and (noise or sound or acoustic\$2 or vibration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/20 15:00
L16	32380	(steam or (pressur\$5 with fluid)) and (muffl\$3 or silenc\$3 or attenuat\$3 or suppress\$3) and (discharge or exhaust or vent or outlet or blowoff)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/20 15:01
L17	12774	(steam or (pressur\$5 with fluid)) and ((muffl\$3 or silenc\$3 or attenuat\$3 or suppress\$3) same (discharge or exhaust or vent or outlet or blowoff))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/20 15:02
L18	5762	((steam or (pressur\$5 with fluid)) same (muffl\$3 or silenc\$3 or attenuat\$3 or suppress\$3) same (discharge or exhaust or vent or outlet or blowoff))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/20 15:02
L19	292	18 and bellows	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/20 15:03

L20	250	18 and (thermal with (grow\$3 or expan\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/20 15:03
L21	36	20 and bellows	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/20 15:04
L41	2416	(blowoff or (blow with off)) and (muffl\$3 or silenc\$3 or attenuat\$3 or suppress\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/20 15:31
L42	1921	(blowoff or (blow near2 off)) and (muffl\$3 or silenc\$3 or attenuat\$3 or suppress\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/20 15:32
L43	1811	(blowoff or (blow adj off)) and (muffl\$3 or silenc\$3 or attenuat\$3 or suppress\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/20 15:32
L44	35	43 and bellows	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/20 16:06
L53	1	((pressur\$5 with fluid) and thermal and (muffl\$3 or silenc\$3 or attenuat\$3 or suppress\$3) and (bellows or corrugat\$3)).clm.	US-PGPUB	OR	ON	2005/08/20 16:07
S1	1	(dale with schmaeman).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/20 13:18
S2	117	(control with components).as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/17 15:43

Interference

S3	22	(vent with stack) and (muffl\$3 or silenc\$3)	USPAT	OR	OFF	2005/08/17 15:46
S4	2145	(steam) and (muffl\$3 or silenc\$3)	USPAT	OR	OFF	2005/08/17 15:48
S5	779	S4 and valve	USPAT	OR	OFF	2005/08/17 15:46
S6	725	S5 and pressure	USPAT	OR	OFF	2005/08/17 15:47
S7	21	S6 and bellows	USPAT	OR	OFF	2005/08/17 15:47
S14	683	steam and (vent or exhaust) and (bellows)	USPAT	OR	OFF	2005/08/17 16:04
S15	24	S14 and (muffl\$3 or silenc\$3)	USPAT	OR	OFF	2005/08/17 16:11